



RECEIVED  
2/8/18 LG

CITY OF ATLANTA

Kasim Reed  
Mayor

226 Peachtree Street, SW  
Atlanta, Georgia 30303  
(404) 546-6900

Atlanta Police Department  
Erika Shields  
Chief of Police

February 5, 2018

Ms. Sherry Williams  
Atlanta Citizens Review Board  
City Hall Tower, Suite 9100  
55 Trinity Avenue, SW  
Atlanta, Georgia 30303

RE: 17-056

Dear Ms. Williams:

I am in receipt of the Atlanta Citizen Review Board's letter pertaining to the complaint of Mr. Heath Bertram, recommending that the Board's allegation of **Conduct be Not Sustained** against **Officer Maximillian Brewer**.

At this time, the Office of Professional Standards has concluded its investigation into the allegation surrounding Mr. Bertram's complaint. The investigation was unable to substantiate Officer Brewer's actions were outside department policy. For this reason, the internal investigation also resulted in a finding of **Not Sustained** with regard to the allegation APD Work Rule 4.1.1 Appropriate Action against **Officer Maximillian Brewer**.

Major Celeste Murphy, Commander of the Office of Professional Standards, can be contacted at (404) 546-5945, if you have any further concerns regarding this complaint.

Sincerely,

Erika Shields  
Chief of Police

ES/shb